

Aptiv/Delphi Terminal Number	Description	Best		Better		Core Crimp					Insulation/Seal Crimp						
		Sargent Crimp Tool Number	Sargent Crimp Tool Number	0.35	0.5	0.8	1.0	2.0	3.0	5.0	0.35	0.5	0.8	1.0	2.0	3.0	5.0
12020125	M/P 630 series male unsealed 1.0 - 0.8 mm²	3187 CT	3305 MPCT	E	E	E	C					A	A	A	D		
12020365	M/P 630 series male unsealed 3.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12052826	M/P 630 series male unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B						G	G
12124559	M/P 630 series relay female unsealed 0.80 - 0.5 mm²	3187 CT	3305 MPCT		E	C	C					A	A	D			
12015865	M/P 630 series relay female unsealed 2.0 - 1.0 mm²	3187 CT	3305 MPCT				C	A						D	D		
12052227	M/P 630 series relay female unsealed 3.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12084588	M/P 630 series relay female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B						G	G
12015864	M/P 630 series relay female unsealed 1.0 - 0.80 mm²	3187 CT	3305 MPCT	E	E	E	C					A	A	A	D		
12092444	M/P 800 series female unsealed 3.0 mm²	3187 CT / 3190 CT	3305 MPCT / 3104 DSCT				F	A	F					D	D	B	
12092445	M/P 800 series female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B						G	G
12110127	M/P 800 series female unsealed 5.0 mm²		3305 MPCT / 3104 DSCT						F	B						G	G
12146448	Mic/P 100 female unsealed 1.0 - 0.80 mm²	3187 CT	3305 MPCT	E	E	E	C					A	A	A	D		
12040902	Mic/P 100 series male unsealed 0.5 - 0.35 mm²	3187 CT	3305 MPCT	E	E	E	C					C	C	C	A		
12197559	VF 280 female unsealed 1.0 - 0.50 mm²	3187 CT	3305 MPCT		C	C	C	C					A	A	A	A	
12157735	VF 280 female unsealed 1.0 - 0.5 mm²	3187 CT	3305 MPCT		C	C	C	C					A	A	A	A	
15327398	VF 630 female unsealed 1.0 - 0.50 mm²	3187 CT	3305 MPCT		C	C	C	C					A	A	A	A	
15327399	VF 630 female unsealed 1.0 - 0.50 mm²	3187 CT	3305 MPCT		C	C	C	C					A	A	A	A	
12124587	W/P male sealed range 2.5-3.0 mm²	3186 CT	3306 MPCT				2	2	4					5	5	5	
15336748	M/P 800 series female sealed 5.0 mm²		3306 MPCT / 3104 DSCT							F							3